

The 2017 CWBF Checklist of the Birds of Taiwan

Tzung-Su DING, Ching-Sung JUAN, Ruey-Shing LIN, Chih-Yuan, PAN, Yi-Jung TSAI, John WU, and Yu-Hsiang YANG

Bird Record Committee, Chinese Wild Bird Federation
No.3, Ln. 36, Jinglong St., Wenshan Dist., Taipei City 116, TAIWAN
E-mail: mail@bird.org.tw

This checklist of the birds of Taiwan is prepared by Bird Record Committee, an official committee of Chinese Wild Bird Federation. The committee updates the checklist annually to assure it is the most complete and accurate checklist for the birds found in Taiwan. The current version was released on April 8, 2017. The geographical area of this checklist covers the land and sea under the jurisdiction of the government of the Republic of China (widely known as 'Taiwan'), including Taiwan Island and its adjacent islands (Penghu, Lanyu, and Ludao), Dongsha Islands in South China Sea, and two groups of outlying islands near mainland China: Matsu islands and Kinmen islands. Based on the geographical location and avifauna similarity, we divide the geographical area of this checklist into four regions: Taiwan (including adjacent islands), Matsu, Kinmen, and Dongsha. The taxonomy and English names for birds in this checklist follow the eBird/Clements Checklist of Birds of the World Version 2016 (Clements et al. 2016), which was released online on August 9, 2016. In total, this checklist accepts 653 bird species (including 12 naturalized species) and recognizes 27 endemic species and 56 endemic subspecies of Taiwan. This checklist categorizes the birds of Taiwan into six statuses: **Resident** (remain year-round in a specific region), **Winter Visitor** (spend only the winter in a specific region), **Summer Visitor** (spend only the summer in a specific region), **Transient Migrant** (only stop for a short period of time during their annual migration), **Pelagic Seabird** (mostly stay on open sea and rarely visit land), **Vagrant** (recorded outside of its normal distribution range), and **Introduced** (introduced by human deliberately or accidentally). A given species might have multiple statuses within a specific region. With our best knowledge on the distribution and abundance of birds in Taiwan, we assign the species to four categories: **Common** (have a >70% chance to record the species during a day-trip in appropriate habitat and time), **Uncommon** (have a 30%-70% chance to record the species during a day-trip in appropriate habitat and time), **Occasional** (have a <30% chance to record the species during a day-trip in appropriate habitat and time), and **Vagrant** (with very limited records).

Comments and suggestions on this checklist are welcome and should be sent to Chinese Wild Bird Federation.

Suggested Citation:

Ding, T.-S., C.-S. Juan, R.-S. Lin, C.-Y. Pan, Y.-J. Tsai, J. Wu and Y.-H. Yang. 2017. The 2017 CWBF Checklist of the Birds of Taiwan. Chinese Wild Bird Federation. Taipei, Taiwan.

Literature cited

Clements, J. F., T. S. Schulenberg, M. J. Iliff, D. Roberson, T. A. Fredericks, B. L. Sullivan, C. L. Wood. 2016. The eBird/Clements checklist of birds of the world: v2016. Downloaded from <http://www.birds.cornell.edu/clementschecklist>

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
C1	Anatidae							
1	Lesser Whistling-Duck	<i>Dendrocygna javanica</i>		V	-	-	V	
2	Swan Goose	<i>Anser cygnoides</i>		WO	-	WO	-	
3	Taiga Bean-Goose	<i>Anser fabalis</i>	<i>middendorffii</i>	WO	TO	WO	V	
4	Tundra Bean-Goose	<i>Anser serrirostris</i>	<i>serrirostris</i>	WO	TO	WO	V	
5	Greater White-fronted Goose	<i>Anser albifrons</i>	<i>frontalis</i>	WO	TO	WO	V	
6	Lesser White-fronted Goose	<i>Anser erythropus</i>		TO	-	-	-	
7	Graylag Goose	<i>Anser anser</i>	<i>rubrirostris</i>	V	-	V	-	
8	Brant	<i>Branta bernicla</i>	<i>orientalis</i>	V	-	-	-	
9	Mute Swan	<i>Cygnus olor</i>		V	-	-	-	
10	Tundra Swan	<i>Cygnus columbianus</i>	<i>bewickii</i>	V	-	V	-	
11	Whooper Swan	<i>Cygnus cygnus</i>		V	-	V	-	
12	Ruddy Shelduck	<i>Tadorna ferruginea</i>		WO	-	WO	V	
13	Common Shelduck	<i>Tadorna tadorna</i>		WO	-	WO	-	
14	Cotton Pygmy-Goose	<i>Nettapus coromandelianus</i>	<i>coromandelianus</i>	V	V	V	-	
15	Mandarin Duck	<i>Aix galericulata</i>		RU/TO	TO	TO	V	
16	Gadwall	<i>Anas strepera</i>	<i>strepera</i>	WU	WO	WO	TO	
17	Falcated Duck	<i>Anas falcata</i>		WO	TO	WU	-	
18	Eurasian Wigeon	<i>Anas penelope</i>		WC	TU	WC	WC	
19	American Wigeon	<i>Anas americana</i>		WO	-	WO	-	
20	Mallard	<i>Anas platyrhynchos</i>	<i>platyrhynchos</i>	WU/IO	TU	WU	TO	
21	Eastern Spot-billed Duck	<i>Anas zonorhyncha</i>		RU/WU	TO	RC	TO	
22	Philippine Duck	<i>Anas luzonica</i>		V	-	-	-	
23	Northern Shoveler	<i>Anas clypeata</i>		WC	TO	WU	TC	
24	Northern Pintail	<i>Anas acuta</i>		WC	TU	WC	WO/TU	
25	Garganey	<i>Anas querquedula</i>		WO/TC	TO	WU	TU	
26	Baikal Teal	<i>Anas formosa</i>		WO	TO	WO	-	
27	Green-winged Teal	<i>Anas crecca</i>	<i>crecca</i>	WC	TU	WC	WC	
28	Red-crested Pochard	<i>Netta rufina</i>		V	-	-	-	
29	Canvasback	<i>Aythya valisineria</i>		V	-	-	-	
30	Common Pochard	<i>Aythya ferina</i>		WO	V	WO	-	
31	Ferruginous Duck	<i>Aythya nyroca</i>		V	-	-	-	
32	Baer's Pochard	<i>Aythya baeri</i>		WO	-	V	-	
33	Tufted Duck	<i>Aythya fuligula</i>		WC	TO	WO	TO	
34	Greater Scaup	<i>Aythya marila</i>	<i>marila</i>	WO	-	WO	-	
35	Lesser Scaup	<i>Aythya affinis</i>		V	-	-	-	
36	Long-tailed Duck	<i>Clangula hyemalis</i>		V	-	-	-	
37	Common Goldeneye	<i>Bucephala clangula</i>	<i>clangula</i>	TO	-	V	-	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
38	Smew	<i>Mergellus albellus</i>		TO	-	-	-	
39	Common Merganser	<i>Mergus merganser</i>	<i>merganser</i>	V	-	V	-	
40	Red-breasted Merganser	<i>Mergus serrator</i>		WO	TO	V	-	
41	Scaly-sided Merganser	<i>Mergus squamatus</i>		WO	-	-	-	
C2	Phasianidae							
42	Blue-breasted Quail	<i>Synoicus chinensis</i>	<i>chinensis</i>	RO	-	-	-	
43	Japanese Quail	<i>Coturnix japonica</i>		TO	TO	TO	TO	
44	Taiwan Partridge	<i>Arborophila crudigularis</i>		RU	-	-	-	Endemic Species
45	Taiwan Bamboo-Partridge	<i>Bambusicola sonorivox</i>		RC	-	-	-	Endemic Species
46	Mikado Pheasant	<i>Syrmaticus mikado</i>		RO	-	-	-	Endemic Species
47	Ring-necked Pheasant	<i>Phasianus colchicus</i>	<i>formosanus, karpowi,</i> <i>formosanus × karpowi</i>	RO/IU	-	IC	-	Endemic SSP. (<i>P. c. formosanus</i>)
48	Swinhoe's Pheasant	<i>Lophura swinhoii</i>		RU	-	-	-	Endemic Species
C3	Gaviidae							
49	Red-throated Loon	<i>Gavia stellata</i>		V	WO	WO	-	
50	Arctic Loon	<i>Gavia arctica</i>	<i>viridigularis</i>	V	-	V	-	
51	Pacific Loon	<i>Gavia pacifica</i>		V	-	-	-	
52	Yellow-billed Loon	<i>Gavia adamsii</i>		-	V	-	-	
C4	Podicipedidae							
53	Little Grebe	<i>Tachybaptus ruficollis</i>	<i>poggei</i>	RC/WC	WO/TU	RC	TU	
54	Horned Grebe	<i>Podiceps auritus</i>	<i>auritus</i>	WO	TO	WO	-	
55	Red-necked Grebe	<i>Podiceps grisegena</i>	<i>holbollii</i>	-	V	-	V	
56	Great Crested Grebe	<i>Podiceps cristatus</i>	<i>cristatus</i>	WO	TO	WC	-	
57	Eared Grebe	<i>Podiceps nigricollis</i>	<i>nigricollis</i>	WO	TO	WO	-	
C5	Diomedidae							
58	Laysan Albatross	<i>Phoebastria immutabilis</i>		PV	-	-	-	
59	Black-footed Albatross	<i>Phoebastria nigripes</i>		PO	-	PO	-	
60	Short-tailed Albatross	<i>Phoebastria albatrus</i>		PO	-	PO	-	
C6	Procellariidae							
61	Northern Fulmar	<i>Fulmarus glacialis</i>	<i>rodgersii</i>	PV	-	-	-	
62	Bonin Petrel	<i>Pterodroma hypoleuca</i>		PO	-	-	-	
63	Bulwer's Petrel	<i>Bulweria bulwerii</i>		PC	PU	-	PO	
64	Tahiti Petrel	<i>Pseudobulweria rostrata</i>	<i>rostrata</i>	PV	-	-	-	
65	Streaked Shearwater	<i>Calonectris leucomelas</i>		PC	PU	-	PO	
66	Flesh-footed Shearwater	<i>Ardenna carneipes</i>		PV	-	-	-	
67	Wedge-tailed Shearwater	<i>Ardenna pacifica</i>		PO	-	-	PO	
68	Sooty Shearwater	<i>Ardenna grisea</i>		PO	PO	-	-	
69	Short-tailed Shearwater	<i>Ardenna tenuirostris</i>		PO	PO	-	PO	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
C7	Hydrobatidae							
70	Leach's Storm-Petrel	<i>Oceanodroma leucorhoa</i>	<i>leucorhoa</i>	-	PV	-	-	
71	Swinhoe's Storm-Petrel	<i>Oceanodroma monorhis</i>		PU	PO	-	-	
72	Tristram's Storm-Petrel	<i>Oceanodroma tristrami</i>		PV	-	-	-	
C8	Phaethontidae							
73	White-tailed Tropicbird	<i>Phaethon lepturus</i>	<i>dorotheae</i>	PV	-	-	-	
74	Red-billed Tropicbird	<i>Phaethon aethereus</i>	<i>mesonauta</i>	PV	-	-	-	
75	Red-tailed Tropicbird	<i>Phaethon rubricauda</i>	<i>melanorhynchos</i>	PO	-	-	-	
C9	Ciconiidae							
76	Black Stork	<i>Ciconia nigra</i>		WO/TO	TO	WO	-	
77	Oriental Stork	<i>Ciconia boyciana</i>		WO	TO	WO	-	
C10	Fregatidae							
78	Great Frigatebird	<i>Fregata minor</i>	<i>minor</i>	PO	PO	PO	PO	
79	Lesser Frigatebird	<i>Fregata ariel</i>	<i>ariel</i>	PO	PO	PO	PU	
C11	Sulidae							
80	Masked Booby	<i>Sula dactylatra</i>	<i>personata</i>	PO	-	-	-	
81	Brown Booby	<i>Sula leucogaster</i>	<i>plotus</i>	PC	TO	TO	PO	
82	Red-footed Booby	<i>Sula sula</i>	<i>rubripes</i>	PO	PO	-	PO	
C12	Phalacrocoracidae							
83	Pelagic Cormorant	<i>Phalacrocorax pelagicus</i>	<i>pelagicus</i>	V	V	V	WO	
84	Great Cormorant	<i>Phalacrocorax carbo</i>	<i>sinensis</i>	WC	WU	WC	WO/TO	
85	Japanese Cormorant	<i>Phalacrocorax capillatus</i>		WO	WO	V	-	
C13	Pelecanidae							
86	Dalmatian Pelican	<i>Pelecanus crispus</i>		V	-	TO	-	
C14	Ardeidae							
87	Great Bittern	<i>Botaurus stellaris</i>	<i>stellaris</i>	WO	TO	WO	-	
88	Yellow Bittern	<i>Ixobrychus sinensis</i>		RC/SC	SU	SU/TU	TU	
89	Schrenck's Bittern	<i>Ixobrychus eurhythmus</i>		TO	TO	TO	TO	
90	Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>		RU	SO	SO	TU	
91	Black Bittern	<i>Ixobrychus flavicollis</i>	<i>flavicollis</i>	TO	TO	TO	TO	
92	Gray Heron	<i>Ardea cinerea</i>	<i>jouyi</i>	WC	WU	WC	WC/TC	
93	Purple Heron	<i>Ardea purpurea</i>	<i>manilensis</i>	RO/WO	TO	TO	TO	
94	Great Egret	<i>Ardea alba</i>	<i>modesta</i>	SU/WC	WC	WC	WC/TC	
95	Intermediate Egret	<i>Mesophoyx intermedia</i>	<i>intermedia</i>	SO/WC	WU	WU	WC/TC	
96	White-faced Heron	<i>Egretta novaehollandiae</i>	<i>novaehollandiae</i>	V	-	-	-	
97	Chinese Egret	<i>Egretta eulophotes</i>		WO/TU	TO	SO/TO	TU	
98	Little Egret	<i>Egretta garzetta</i>	<i>garzetta</i>	RU/SC/WC/TC	RC	RC	WC/TC	
99	Pacific Reef-Heron	<i>Egretta sacra</i>	<i>sacra</i>	RU	RC	RU	TO	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
100	Pied Heron	<i>Egretta picata</i>		V	-	-	-	
101	Cattle Egret	<i>Bubulcus ibis</i>	<i>coromandus</i>	RU/SC/WC/TC	SO/TC	RU/TU	WC/TC	
102	Chinese Pond-Heron	<i>Ardeola bacchus</i>		WO	SC/TC	WO/SU/TU	TU	
103	Javan Pond-Heron	<i>Ardeola speciosa</i>	<i>continentalis</i>	V	-	-	-	
104	Striated Heron	<i>Butorides striata</i>	<i>carcinophila, amurensis, actophila</i>	RU/TO	SO	TO	TU	
105	Black-crowned Night-Heron	<i>Nycticorax nycticorax</i>	<i>nycticorax</i>	RC/WO/TO	RO	RC	TC	
106	Rufous Night-Heron	<i>Nycticorax caledonicus</i>	<i>manillensis</i>	V	-	-	-	
107	Japanese Night-Heron	<i>Gorsachius goisagi</i>		TO	TO	-	-	
108	Malayan Night-Heron	<i>Gorsachius melanolophus</i>		RC	V	V	-	
C15	Threskiornithidae							
109	Glossy Ibis	<i>Plegadis falcinellus</i>		V	-	-	-	
110	Sacred Ibis	<i>Threskiornis aethiopicus</i>	<i>aethiopicus</i>	IU	IO	-	-	
111	Black-headed Ibis	<i>Threskiornis melanocephalus</i>		WO/TO	-	TO	-	
112	Crested Ibis	<i>Nipponia nippon</i>		V	-	-	-	
113	Eurasian Spoonbill	<i>Platalea leucorodia</i>	<i>leucorodia</i>	WO	TO	TO	-	
114	Black-faced Spoonbill	<i>Platalea minor</i>		WU/TO	TO	WU	WO/TO	
C16	Pandionidae							
115	Osprey	<i>Pandion haliaetus</i>	<i>haliaetus</i>	WU	TO	RU	WC/TC	
C17	Accipitridae							
116	Black-shouldered Kite	<i>Elanus caeruleus</i>	<i>vociferus</i>	RU	RO	RU	V	
117	Oriental Honey-buzzard	<i>Pernis ptilorhynchus</i>	<i>orientalis</i>	RU/TC	TO	TO	TO	
118	Black Baza	<i>Aviceda leuphotes</i>	<i>syama</i>	TO	-	V	-	
119	Cinereous Vulture	<i>Aegypius monachus</i>		WO	-	-	-	
120	Crested Serpent-Eagle	<i>Spilornis cheela</i>	<i>hoya</i>	RC	-	V	-	Endemic SSP. (<i>S. c. hoyae</i>)
121	Mountain Hawk-Eagle	<i>Nisaetus nipalensis</i>	<i>nipalensis</i>	RO	-	-	-	
122	Black Eagle	<i>Ictinaetus malaiensis</i>	<i>malaiensis</i>	RO	-	V	-	
123	Greater Spotted Eagle	<i>Clanga clanga</i>		WO	TO	V	-	
124	Imperial Eagle	<i>Aquila heliaca</i>		TO	-	V	-	
125	Bonelli's Eagle	<i>Aquila fasciata</i>	<i>fasciata</i>	-	-	V	-	
126	Gray-faced Buzzard	<i>Butastur indicus</i>		WO/TC	TC	TU	WO/TC	
127	Eastern Marsh-Harrier	<i>Circus spilonotus</i>	<i>spilonotus</i>	WU/TU	TO	TO	TO	
128	Northern Harrier	<i>Circus cyaneus</i>	<i>cyaneus</i>	WO/TO	TO	TO	TO	
129	Pied Harrier	<i>Circus melanoleucos</i>		TO	-	TO	-	
130	Crested Goshawk	<i>Accipiter trivirgatus</i>	<i>formosae, indicus</i>	RC	V	-	-	Endemic SSP. (<i>A. t. formosae</i>)
131	Chinese Sparrowhawk	<i>Accipiter soloensis</i>		TC	TC	TO	WO/TC	
132	Japanese Sparrowhawk	<i>Accipiter gularis</i>	<i>gularis</i>	WO/TU	WU/TC	TO	WO/TU	
133	Besra	<i>Accipiter virgatus</i>	<i>fuscipectus, affinis</i>	RU	TO	RO/TO	-	Endemic SSP. (<i>A. v. fuscipectus</i>)

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
134	Eurasian Sparrowhawk	<i>Accipiter nisus</i>	<i>nisosimilis</i>	WO	TO	TO	WO/TU	
135	Northern Goshawk	<i>Accipiter gentilis</i>	<i>fuijyamae, schvedowi</i>	WO	TO	TO	TO	
136	Black Kite	<i>Milvus migrans</i>	<i>formosanus, lineatus</i>	RO	TO	WO/TO	V	
137	Brahminy Kite	<i>Haliastur indus</i>	<i>indus</i>	V	-	V	-	
138	White-bellied Sea-Eagle	<i>Haliaeetus leucogaster</i>		V	V	V	-	
139	White-tailed Eagle	<i>Haliaeetus albicilla</i>		WO	-	-	-	
140	Rough-legged Hawk	<i>Buteo lagopus</i>	<i>menzbieri, kamschatkensis</i>	WO	-	V	-	
141	Eastern Buzzard	<i>Buteo japonicus</i>	<i>japonicus</i>	WU/TU	WC	WC	WC/TC	
142	Upland Buzzard	<i>Buteo hemilasius</i>		WO	TO	TO	V	
C18	Rallidae							
143	Red-legged Crane	<i>Rallina fasciata</i>		V	V	-	-	
144	Slaty-legged Crane	<i>Rallina eurizonoides</i>	<i>formosana</i>	RU	-	V	V	Endemic SSP. (<i>R. e. formosana</i>)
145	Slaty-breasted Rail	<i>Gallirallus striatus</i>	<i>taiwanus, jouyi</i>	RU	V	V	-	Endemic SSP. (<i>G. s. taiwanus</i>)
146	Brown-cheeked Rail	<i>Rallus indicus</i>		WO	TO	TO	-	
147	White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	<i>phoenicurus</i>	RC	RU	RC	RC	
148	White-browed Crane	<i>Amaurornis cinerea</i>		TO	TO	-	TO	
149	Spotted Crane	<i>Porzana porzana</i>		V	-	-	-	
150	Ruddy-breasted Crane	<i>Zapornia fusca</i>	<i>erythrothorax</i>	RC	-	V	-	
151	Band-bellied Crane	<i>Zapornia paykullii</i>		V	V	-	-	
152	Brown Crane	<i>Zapornia akool</i>	<i>coccineipes</i>	-	RO	-	-	
153	Baillon's Crane	<i>Zapornia pusilla</i>	<i>pusilla</i>	WO	TO	TO	-	
154	Watercock	<i>Gallicrex cinerea</i>		RO/SO	TO	TO	TO	
155	Black-backed Swamphen	<i>Porphyrio indicus</i>	<i>viridis</i>	V	-	V	-	
156	Eurasian Moorhen	<i>Gallinula chloropus</i>	<i>chloropus</i>	RC	TO	RC	TU	
157	Eurasian Coot	<i>Fulica atra</i>	<i>atra</i>	WU	TO	WC	TU	
C19	Gruidae							
158	Demoiselle Crane	<i>Anthropoides virgo</i>		V	-	-	-	
159	Siberian Crane	<i>Leucogeranus leucogeranus</i>		V	-	-	-	
160	White-naped Crane	<i>Antigone vipio</i>		V	-	-	-	
161	Common Crane	<i>Grus grus</i>		V	-	-	-	
162	Hooded Crane	<i>Grus monacha</i>		V	-	-	-	
163	Red-crowned Crane	<i>Grus japonensis</i>		V	-	-	-	
C20	Recurvirostridae							
164	Black-winged Stilt	<i>Himantopus himantopus</i>		RU/WC	TO	RU/WU/TU	TC	
165	Pied Avocet	<i>Recurvirostra avosetta</i>		WU	TO	WU	TO	
C21	Haematopodidae							
166	Eurasian Oystercatcher	<i>Haematopus ostralegus</i>	<i>osculans</i>	WO	SO	RU/WC	-	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
C22	Charadriidae							
167	Black-bellied Plover	<i>Pluvialis squatarola</i>		WC	TO	WC	WC/TC	
168	Pacific Golden-Plover	<i>Pluvialis fulva</i>		WC	TU	WU/TU	WC/TC	
169	Northern Lapwing	<i>Vanellus vanellus</i>		WU	TO	TO	WU	
170	Gray-headed Lapwing	<i>Vanellus cinereus</i>		WO/TO	TO	TO	TO	
171	Lesser Sand-Plover	<i>Charadrius mongolus</i>	<i>mongolus, stegmanni</i>	WU/TC	TO	WU/TU	WC/TC	
172	Greater Sand-Plover	<i>Charadrius leschenaultii</i>	<i>leschenaultii</i>	WU/TC	TO	WC/TC	WC/TC	
173	Kentish Plover	<i>Charadrius alexandrinus</i>	<i>dealbatus, alexandrinus</i>	RU/WC;	RU/TU	RU/WC	WC/TC	
				WO(<i>alexandrinus</i>)				
174	Common Ringed Plover	<i>Charadrius hiaticula</i>	<i>tundrae</i>	WO/TO	-	-	TO	
175	Long-billed Plover	<i>Charadrius placidus</i>		WO	-	V	-	
176	Little Ringed Plover	<i>Charadrius dubius</i>	<i>curonicus</i>	RU/WC	TU	RU/WU	WU/TC	
177	Oriental Plover	<i>Charadrius veredus</i>		TO	TO	TO	TO	
C23	Rostratulidae							
178	Greater Painted-snipe	<i>Rostratula benghalensis</i>		RC	TO	TO	V	
C24	Jacaniidae							
179	Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>		RO/TO	TO	TO	V	
C25	Scolopacidae							
180	Terek Sandpiper	<i>Xenus cinereus</i>		TU	TO	TU	TU	
181	Common Sandpiper	<i>Actitis hypoleucos</i>		WC	WC/TC	WC/TC	WO/TC	
182	Green Sandpiper	<i>Tringa ochropus</i>		WU	TO	WU	TO	
183	Gray-tailed Tattler	<i>Tringa brevipes</i>		TC	TU	TC	WC/TC	
184	Wandering Tattler	<i>Tringa incana</i>		V	-	-	-	
185	Spotted Redshank	<i>Tringa erythropus</i>		WO	TO	WU/TO	V	
186	Common Greenshank	<i>Tringa nebularia</i>		WC	TO	WC	TC	
187	Nordmann's Greenshank	<i>Tringa guttifer</i>		TO	-	TO	-	
188	Lesser Yellowlegs	<i>Tringa flavipes</i>		V	-	-	-	
189	Marsh Sandpiper	<i>Tringa stagnatilis</i>		WU/TC	TO	TU	TC	
190	Wood Sandpiper	<i>Tringa glareola</i>		WC/TC	TU	TU	TC	
191	Common Redshank	<i>Tringa totanus</i>	<i>ussuriensis, terrignotae (?)</i>	WC	TO	WC/TC	TC	
192	Little Curlew	<i>Numenius minutus</i>		TU	TO	TO	TO	
193	Whimbrel	<i>Numenius phaeopus</i>	<i>variegatus</i>	WU/TC	TO	WC/TC	WC/TC	
194	Far Eastern Curlew	<i>Numenius madagascariensis</i>		WO/TU	TO	TO	TO	
195	Eurasian Curlew	<i>Numenius arquata</i>	<i>orientalis</i>	WU	TO	WC	TO	
196	Black-tailed Godwit	<i>Limosa limosa</i>	<i>melanuroides</i>	WO/TU	TO	TO	TO	
197	Bar-tailed Godwit	<i>Limosa lapponica</i>	<i>baueri, menzbieri</i>	WO/TU	TO	TU	TU	
198	Ruddy Turnstone	<i>Arenaria interpres</i>	<i>interpres</i>	WC	TO	WC/TC	WC/TC	
199	Great Knot	<i>Calidris tenuirostris</i>		TU	TO	TU	TO	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
200	Red Knot	<i>Calidris canutus</i>	<i>rogersi, piersmai</i>	TU	TO	TU	TO	
201	Ruff	<i>Calidris pugnax</i>		WO	TO	TO	TO	
202	Broad-billed Sandpiper	<i>Calidris falcinellus</i>	<i>sibirica</i>	TU	TO	TU	TO	
203	Sharp-tailed Sandpiper	<i>Calidris acuminata</i>		TC	TO	TU	TC	
204	Stilt Sandpiper	<i>Calidris himantopus</i>		V	-	-	-	
205	Curlew Sandpiper	<i>Calidris ferruginea</i>		WO/TC	TO	TU	TC	
206	Temminck's Stint	<i>Calidris temminckii</i>		WO	TO	TO	TO	
207	Long-toed Stint	<i>Calidris subminuta</i>		WU	TO	TO	TC	
208	Spoon-billed Sandpiper	<i>Calidris pygmaea</i>		TO	-	TO	V	
209	Red-necked Stint	<i>Calidris ruficollis</i>		WC	TU	WU/TC	WO/TC	
210	Sanderling	<i>Calidris alba</i>		WU	TU	WC/TC	WU/TU	
211	Dunlin	<i>Calidris alpina</i>	<i>sakhalina, kistchinski, actites, arctica</i>	WC	TO	WC/TC	WU/TU	
212	Little Stint	<i>Calidris minuta</i>		WO/TO	TO	TO	V	
213	Buff-breasted Sandpiper	<i>Calidris subruficollis</i>		V	-	V	-	
214	Pectoral Sandpiper	<i>Calidris melanotos</i>		TO	TO	-	V	
215	Western Sandpiper	<i>Calidris mauri</i>		V	-	-	-	
216	Long-billed Dowitcher	<i>Limnodromus scolopaceus</i>		WO	-	V	V	
217	Asian Dowitcher	<i>Limnodromus semipalmatus</i>		TO	TO	TO	TO	
218	Jack Snipe	<i>Lymnocyptes minimus</i>		TO	-	-	-	
219	Latham's Snipe	<i>Gallinago hardwickii</i>		TO	-	-	TO	
220	Common Snipe	<i>Gallinago gallinago</i>	<i>gallinago</i>	WC	TU	WU	WO/TC	
221	Pin-tailed Snipe	<i>Gallinago stenura</i>		WO/TC	TO	TO	TC	
222	Swinhoe's Snipe	<i>Gallinago megala</i>		WO/TC	TO	TO	TC	
223	Eurasian Woodcock	<i>Scolopax rusticola</i>		WO	TO	TO	TU	
224	Red-necked Phalarope	<i>Phalaropus lobatus</i>		TC	TU	TU	TO	
225	Red Phalarope	<i>Phalaropus fulicarius</i>		TO	TO	TO	-	
C26	Turnicidae							
226	Small Buttonquail	<i>Turnix sylvaticus</i>	<i>davidi</i>	RO	-	-	-	
227	Yellow-legged Buttonquail	<i>Turnix tanki</i>	<i>blanfordii</i>	V	TO	TO	-	
228	Barred Buttonquail	<i>Turnix suscitator</i>	<i>rostratus</i>	RC	TO	-	-	Endemic SSP. (<i>T. s. rostratus</i>)
C27	Glareolidae							
229	Oriental Pratincole	<i>Glareola maldivarum</i>		SC	TO	SU/TO	TC	
C28	Stercorariidae							
230	South Polar Skua	<i>Stercorarius maccormicki</i>		V	-	-	-	
231	Pomarine Jaeger	<i>Stercorarius pomarinus</i>		PO	PO	-	-	
232	Parasitic Jaeger	<i>Stercorarius parasiticus</i>		PO	PO	-	-	
233	Long-tailed Jaeger	<i>Stercorarius longicaudus</i>	<i>pallascens</i>	PO	PO	-	-	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
C29	Alcidae							
234	Common Murre	<i>Uria aalge</i>	<i>inornata</i>	V	-	-	-	
235	Ancient Murrelet	<i>Synthliboramphus antiquus</i>	<i>microrhynchos</i>	PO	PO	PO	-	
236	Japanese Murrelet	<i>Synthliboramphus wumizusume</i>		PO	PO	-	-	
C30	Laridae							
237	Black-legged Kittiwake	<i>Rissa tridactyla</i>	<i>pollicaris</i>	WO	TO	TO	-	
238	Sabine's Gull	<i>Xema sabini</i>	?	V	-	-	-	
239	Saunders's Gull	<i>Saundersilarus saundersi</i>		WU	-	WO/TO	-	
240	Slender-billed Gull	<i>Chroicocephalus genei</i>		V	-	-	-	
241	Silver Gull	<i>Chroicocephalus novaehollandiae</i>	<i>forsteri</i>	V	-	-	-	
242	Black-headed Gull	<i>Chroicocephalus ridibundus</i>		WC	TO	WC	TO	
243	Brown-headed Gull	<i>Chroicocephalus brunnicephalus</i>		V	-	-	-	
244	Little Gull	<i>Hydrocoloeus minutus</i>		V	-	-	-	
245	Laughing Gull	<i>Leucophaeus atricilla</i>	<i>megalopterus</i>	V	-	-	-	
246	Franklin's Gull	<i>Leucophaeus pipixcan</i>		V	-	-	-	
247	Relict Gull	<i>Ichthyaetus relictus</i>		-	-	V	-	
248	Pallas's Gull	<i>Ichthyaetus ichthyaetus</i>		WO	-	V	-	
249	Black-tailed Gull	<i>Larus crassirostris</i>		WU	SC/TC	WO	TO	
250	Mew Gull	<i>Larus canus</i>	<i>kamtschatschensis, heinei</i>	WO	TO	WO	-	
251	Herring Gull	<i>Larus argentatus</i>	<i>vegae, mongolicus</i>	WO	TU	WU	TO	
252	Lesser Black-backed Gull	<i>Larus fuscus</i>	<i>heuglini</i>	WO	TO	TO	V	
253	Slaty-backed Gull	<i>Larus schistisagus</i>		WO	TO	WU	-	
254	Glaucous Gull	<i>Larus hyperboreus</i>	<i>hyperboreus</i>	V	-	-	-	
255	Brown Noddy	<i>Anous stolidus</i>	<i>pileatus</i>	SO	TO	SO	TO	
256	Black Noddy	<i>Anous minutus</i>	?	V	-	-	-	
267	Sooty Tern	<i>Onychoprion fuscatus</i>	<i>nubilosus</i>	SO/TO	SO	-	-	
258	Bridled Tern	<i>Onychoprion anaethetus</i>	<i>anaethetus</i>	SU	SC	SU	-	
259	Aleutian Tern	<i>Onychoprion aleuticus</i>		TU	TO	-	-	
260	Little Tern	<i>Sternula albifrons</i>	<i>sinensis</i>	RU/SU	TO	TU	TU	
261	Gull-billed Tern	<i>Gelochelidon nilotica</i>	<i>affinis</i>	WO/TU	TO	TU	TU	
262	Caspian Tern	<i>Hydroprogne caspia</i>		WU	-	WC	TU	
263	Black Tern	<i>Chlidonias niger</i>	<i>niger</i>	V	-	-	-	
264	White-winged Tern	<i>Chlidonias leucopterus</i>		WO/TC	TU	TU	TC	
265	Whiskered Tern	<i>Chlidonias hybrida</i>	<i>hybrida</i>	WC/TC	TU	TU	TC	
266	Roseate Tern	<i>Sterna dougallii</i>	<i>bangsi</i>	SU	SC	SU	TO	
267	Black-naped Tern	<i>Sterna sumatrana</i>	<i>sumatrana</i>	SU	SC	SU	TO	
268	Common Tern	<i>Sterna hirundo</i>	<i>longipennis, minussensis</i>	TC	TO	TO	TU	
269	Great Crested Tern	<i>Thalasseus bergii</i>	<i>cristatus</i>	SU	SC	SU	TO	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
270	Sandwich Tern	<i>Thalasseus sandvicensis</i>	<i>sandvicensis</i>	V	-	-	-	
271	Lesser Crested Tern	<i>Thalasseus bengalensis</i>	<i>torresii</i>	V	-	-	-	
272	Chinese Crested Tern	<i>Thalasseus bernsteini</i>		SO/TO	SO	-	-	
C31	Columbidae							
273	Rock Pigeon	<i>Columba livia</i>	?	IC	IO	IO	-	
274	Ashy Wood-Pigeon	<i>Columba pulchricollis</i>		RU	-	-	-	
275	Japanese Wood-Pigeon	<i>Columba janthina</i>	?	V	V	V	-	
276	Oriental Turtle-Dove	<i>Streptopelia orientalis</i>	<i>orii, orientalis</i>	RC(<i>orii</i>); TO	RO/TU	WC	WC/TC	Endemic SSP. (<i>S. o. orii</i>)
277	Eurasian Collared-Dove	<i>Streptopelia decaocto</i>	<i>xanthocykla</i>	IO	-	V	V	
278	Red Collared-Dove	<i>Streptopelia tranquebarica</i>	<i>humilis</i>	RC	RO	RU	TO	
279	Spotted Dove	<i>Streptopelia chinensis</i>	<i>chinensis</i>	RC	RC	RC	TO	
280	Barred Cuckoo-Dove	<i>Macropygia unchall</i>	<i>minor</i>	V	V	V	-	
281	Philippine Cuckoo-Dove	<i>Macropygia tenuirostris</i>	<i>septentrionalis</i>	RU (Lanyu)	-	-	-	
282	Asian Emerald Dove	<i>Chalcophaps indica</i>	<i>indica</i>	RU	-	V	-	
283	Orange-breasted Pigeon	<i>Treron bicinctus</i>	<i>domvillii</i>	V	-	-	-	
284	Thick-billed Pigeon	<i>Treron curvirostra</i>		-	V	-	-	
285	White-bellied Pigeon	<i>Treron sieboldii</i>	<i>sieboldii</i>	RU	V	V	-	
286	Whistling Green-Pigeon	<i>Treron formosae</i>	<i>formosae, medioximus</i> (?)	RO	V	V	V	Endemic SSP. (<i>T. f. formosae</i>)
287	Black-chinned Fruit-Dove	<i>Ptilinopus leclancheri</i>	<i>longialis</i>	RO	-	-	-	
C32	Cuculidae							
288	Greater Coucal	<i>Centropus sinensis</i>	<i>sinensis</i>	-	RU	RC	-	
289	Lesser Coucal	<i>Centropus bengalensis</i>	<i>lignator</i>	RC	V	RO	V	
290	Asian Koel	<i>Eudynamys scolopacea</i>	<i>chinensis</i>	TO	TO	SU	TC	
291	Chestnut-winged Cuckoo	<i>Clamator coromandus</i>		TO	TO	TO	TO	
292	Pied Cuckoo	<i>Clamator jacobinus</i>	<i>pica</i>	V	-	-	-	
293	Plaintive Cuckoo	<i>Cacomantis merulinus</i>	<i>querulus</i>	V	TO	V	TU	
294	Fork-tailed Drongo-Cuckoo	<i>Surniculus dicruroides</i>	<i>barussarum</i>	V	TO	TO	TO	
295	Large Hawk-Cuckoo	<i>Hierococcyx sparveriioides</i>		SC	TO	SO	TO	
296	Northern Hawk-Cuckoo	<i>Hierococcyx hyperythrus</i>		V	TO	-	TO	
297	Hodgson's Hawk-Cuckoo	<i>Hierococcyx nasicolor</i>		V	TO	-	V	
298	Lesser Cuckoo	<i>Cuculus poliocephalus</i>		TO	TO	TO	TO	
299	Indian Cuckoo	<i>Cuculus micropterus</i>	<i>micropterus</i>	TO	TO	SU/TU	TU	
300	Common Cuckoo	<i>Cuculus canorus</i>	<i>canorus</i>	TO	TO	TO	TO	
301	Oriental Cuckoo	<i>Cuculus optatus</i>		SC	TU	TO	TU	
C33	Tytonidae							
302	Australasian Grass-Owl	<i>Tyto longimembris</i>	<i>pithecopis</i>	RO	-	WO	-	Endemic SSP. (<i>T. l. pithecopis</i>)
C34	Strigidae							
303	Mountain Scops-Owl	<i>Otus spilocephalus</i>	<i>hambroeckii</i>	RC	-	-	-	Endemic SSP. (<i>O. s. hambroeckii</i>)

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
304	Collared Scops-Owl	<i>Otus lettia</i>	<i>glabripes, erythrocampe</i>	RC	V	V	-	Endemic SSP. (<i>O. l. glabripes</i>)
305	Ryukyu Scops-Owl	<i>Otus elegans</i>	<i>botelensis</i>	RC(Lanyu)	-	-	-	Endemic SSP. (<i>O. e. botelensis</i>)
306	Oriental Scops-Owl	<i>Otus sunia</i>	<i>japonicus, stictonotus</i>	TU	TO	TO	TO	
307	Tawny Fish-Owl	<i>Ketupa flavipes</i>		RO	-	-	-	
308	Collared Owlet	<i>Glaucidium brodiei</i>	<i>pardalotum</i>	RU	-	-	-	Endemic SSP. (<i>G. b. pardalotum</i>)
309	Little Owl	<i>Athene noctua</i>	<i>plumipes</i>	V	-	V	-	
310	Brown Wood-Owl	<i>Strix leptogrammica</i>	<i>caligata</i>	RO	-	-	-	
311	Himalayan Owl	<i>Strix nivicolium</i>	<i>yamadae</i>	RO	-	-	-	Endemic SSP. (<i>S. n. yamadae</i>)
312	Long-eared Owl	<i>Asio otus</i>	<i>otus</i>	WO	-	WO	TO	
313	Short-eared Owl	<i>Asio flammeus</i>	<i>flammeus</i>	WU	TO	WO	WO/TU	
314	Northern Boobook	<i>Ninox japonica</i>	<i>totogo, japonica</i>	RU/TU	TO	TO	TU	
C35	Caprimulgidae							
315	Gray Nightjar	<i>Caprimulgus jotaka</i>	<i>jotaka</i>	TO	TO	TO	TO	
316	Savanna Nightjar	<i>Caprimulgus affinis</i>	<i>stictomus, amoyensis</i>	RC	TO	TO	-	Endemic SSP. (<i>C. a. stictomus</i>)
C36	Apodidae							
317	White-throated Needletail	<i>Hirundapus caudacutus</i>	<i>caudacutus</i>	TO	TO	TO	TO	
318	Silver-backed Needletail	<i>Hirundapus cochinchinensis</i>	<i>formosanus</i>	RO	-	-	TO	Endemic SSP. (<i>H. c. formosanus</i>)
319	Purple Needletail	<i>Hirundapus celebensis</i>		V	-	-	-	
320	Himalayan Swiftlet	<i>Aerodramus brevirostris</i>	<i>innominatus</i>	TO	-	TO	TO	
321	Pacific Swift	<i>Apus pacificus</i>	<i>pacificus, kurodae</i>	TU	SC	TO	TU	
322	House Swift	<i>Apus nipalensis</i>	<i>kuntzi</i>	RC	RU	RC	TO	Endemic SSP. (<i>A. n. kuntzi</i>)
C37	Alcedinidae							
323	Common Kingfisher	<i>Alcedo atthis</i>	<i>bengalensis</i>	RC/TU	RC	RC	TC	
324	Black-backed Dwarf-Kingfisher	<i>Ceyx erithaca</i>	<i>erithaca, motleyi</i>	V	V	-	-	
325	Ruddy Kingfisher	<i>Halcyon coromanda</i>	<i>major, bangsi</i>	TO	TO	TO	TO	
326	White-throated Kingfisher	<i>Halcyon smyrnensis</i>	<i>fokiensis</i>	TO	RU	RU	V	
327	Black-capped Kingfisher	<i>Halcyon pileata</i>		WO/TO	TO	WU	WO/TO	
328	Collared Kingfisher	<i>Todiramphus chloris</i>	<i>collaris</i>	V	-	-	-	
329	Pied Kingfisher	<i>Ceryle rudis</i>	<i>insignis</i>	-	TO	RU	-	
C38	Meropidae							
330	Blue-throated Bee-eater	<i>Merops viridis</i>		-	-	V	-	
331	Blue-tailed Bee-eater	<i>Merops philippinus</i>		V	-	SC	V	
332	Rainbow Bee-eater	<i>Merops ornatus</i>		V	-	-	-	
C39	Coraciidae							
333	Dollarbird	<i>Eurystomus orientalis</i>	<i>cyanocollis</i>	TO	TC	TO	TU	
C40	Upupidae							
334	Eurasian Hoopoe	<i>Upupa epops</i>	<i>saturata</i>	WO/TO	TC	RC/TU	TU	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
C41	Megalaimidae							
335	Taiwan Barbet	<i>Psilopogon nuchalis</i>		RC	-	-	-	Endemic Species
C42	Picidae							
336	Eurasian Wryneck	<i>Jynx torquilla</i>	<i>torquilla</i>	WO/TO	TO	WU	TO	
337	Gray-capped Woodpecker	<i>Dendrocopos canicapillus</i>	<i>kaleensis</i>	RC	-	-	-	
338	White-backed Woodpecker	<i>Dendrocopos leucotos</i>	<i>insularis</i>	RU	-	-	-	Endemic SSP. (<i>D. l. insularis</i>)
339	Gray-faced Woodpecker	<i>Picus canus</i>	<i>tancolo</i>	RO	-	-	-	
C43	Falconidae							
340	Eurasian Kestrel	<i>Falco tinnunculus</i>	<i>interstinctus</i> (?)	WC	RU/TC	WU	WC/TC	
341	Amur Falcon	<i>Falco amurensis</i>		TO	TO	TO	V	
342	Merlin	<i>Falco columbarius</i>	<i>insignis</i> (?), <i>pacificus</i> (?)	WO/TO	V	-	TO	
343	Eurasian Hobby	<i>Falco subbuteo</i>	<i>subbuteo</i> (?), <i>streichi</i> (?)	TU	TU	TO	TO	
344	Peregrine Falcon	<i>Falco peregrinus</i>	<i>calidus</i> , <i>peregrinator</i> , <i>japonensis</i> , <i>ernesti</i>	RO/WU/TU	TO	WU	-	
C44	Pittidae							
345	Blue-winged Pitta	<i>Pitta moluccensis</i>		V	V	-	V	
346	Fairy Pitta	<i>Pitta nympha</i>		SU	TO	-	V	
347	Hooded Pitta	<i>Pitta sordida</i>	<i>sordida</i>	V	-	-	-	
C45	Campephagidae							
348	Gray-chinned Minivet	<i>Pericrocotus solaris</i>	<i>griseogularis</i>	RC	-	-	-	
349	Long-tailed Minivet	<i>Pericrocotus ethologus</i>	<i>ethologus</i>	V	-	-	-	
350	Ryukyu Minivet	<i>Pericrocotus tegimae</i>		V	V	-	V	
351	Ashy Minivet	<i>Pericrocotus divaricatus</i>		WO/TO	TC	TU	TU	
352	Brown-rumped Minivet	<i>Pericrocotus cantonensis</i>		V	TO	V	TO	
353	Rosy Minivet	<i>Pericrocotus roseus</i>	<i>roseus</i> (?)	-	V	-	-	
354	Large Cuckooshrike	<i>Coracina macei</i>	<i>rexpineti</i>	RO	V	-	-	
355	Pied Triller	<i>Lalage nigra</i>	<i>nigra</i>	V	-	-	-	
356	Black-winged Cuckooshrike	<i>Lalage melaschistos</i>	<i>intermedia</i>	WO/TO	TU	TO	TO	
C46	Laniidae							
357	Tiger Shrike	<i>Lanius tigrinus</i>		TO	TO	-	TO	
358	Bull-headed Shrike	<i>Lanius bucephalus</i>	<i>bucephalus</i>	WO	TO	TO	V	
359	Red-backed Shrike	<i>Lanius collurio</i>		V	V	V	-	
360	Brown Shrike	<i>Lanius cristatus</i>	<i>cristatus</i> , <i>confusus</i> , <i>lucionensis</i> , <i>superciliosus</i>	WC/TC	TC	TC	WO/TC	
361	Burmese Shrike	<i>Lanius colluriooides</i>	<i>colluriooides</i>	V	-	-	-	
362	Long-tailed Shrike	<i>Lanius schach</i>	<i>schach</i>	RC	RO/TU	RC	V	
363	Chinese Gray Shrike	<i>Lanius sphenocercus</i>	<i>sphenocercus</i>	V	V	TO	-	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
C47	Vireonidae							
364	White-bellied Erpornis	<i>Erpornis zantholeuca</i>	<i>griseiloris</i>	RC	-	-	-	
C48	Oriolidae							
365	Black-naped Oriole	<i>Oriolus chinensis</i>	<i>diffusus</i>	RO/TO	TU	SO/TO	TO	
366	Maroon Oriole	<i>Oriolus traillii</i>	<i>ardens</i>	RU	-	-	-	Endemic SSP. (<i>O. t. ardens</i>)
C49	Dicruridae							
367	Black Drongo	<i>Dicrurus macrocercus</i>	<i>harterti, cathoecus</i>	RC/TO	SU/TU	SU/RO	TU	Endemic SSP. (<i>D. m. harterti</i>)
368	Ashy Drongo	<i>Dicrurus leucophaeus</i>	<i>leucogenis</i>	WO/TO	TC	TO	TO	
369	Crow-billed Drongo	<i>Dicrurus annectans</i>		-	V	V	-	
370	Bronzed Drongo	<i>Dicrurus aeneus</i>	<i>braunianus</i>	RC	-	-	V	Endemic SSP. (<i>D. a. braunianus</i>)
371	Hair-crested Drongo	<i>Dicrurus hottentottus</i>	<i>brevirostris</i>	TO	TU	TO	TU	
C50	Monarchidae							
372	Black-naped Monarch	<i>Hypothymis azurea</i>	<i>oberholseri, styani</i>	RC	V	V	-	Endemic SSP. (<i>H. a. oberholseri</i>)
373	Japanese Paradise-Flycatcher	<i>Terpsiphone atrocaudata</i>	<i>atrocaudata,</i>	TU; RO/SC(Lanyu)	TU	TO	TO	
374	Amur Paradise-Flycatcher	<i>Terpsiphone incei</i>		TO	TU	TO	TO	
C51	Corvidae							
375	Eurasian Jay	<i>Garrulus glandarius</i>	<i>taivanus</i>	RC	-	-	-	Endemic SSP. (<i>G. g. taivanus</i>)
376	Azure-winged Magpie	<i>Cyanopica cyanus</i>	?	IO	V	-	-	
377	Taiwan Blue-Magpie	<i>Urocissa caerulea</i>		RC	-	-	-	Endemic Species
378	Gray Treepie	<i>Dendrocitta formosae</i>	<i>formosae, sinica</i>	RC	V	V	-	Endemic SSP. (<i>D. f. formosae</i>)
379	Eurasian Magpie	<i>Pica pica</i>	<i>serica</i>	IC	TO	RC	-	
380	Eurasian Nutcracker	<i>Nucifraga caryocatactes</i>	<i>owstoni</i>	RC	-	-	-	Endemic SSP. (<i>N. c. owstoni</i>)
381	Daurian Jackdaw	<i>Corvus dauuricus</i>		V	-	WO	-	
382	House Crow	<i>Corvus splendens</i>	<i>splendens (?)</i>	V	-	-	-	
383	Rook	<i>Corvus frugilegus</i>	<i>pastinator</i>	WO	TO	WO	-	
384	Carriion Crow	<i>Corvus corone</i>	<i>orientalis</i>	TO	TO	WO	-	
385	Large-billed Crow	<i>Corvus macrorhynchos</i>	<i>colonorum</i>	RC	V	V	-	
386	Collared Crow	<i>Corvus torquatus</i>		V	-	RU	-	
C52	Alaudidae							
387	Syke's Short-toed Lark	<i>Calandrella dukhunensis</i>		V	V	-	-	
388	Asian Short-toed Lark	<i>Alaudala cheleensis</i>	<i>cheleensis</i>	V	V	-	-	
389	Eurasian Skylark	<i>Alauda arvensis</i>	<i>intermedia</i>	WO	TO	WO	TO	
390	Oriental Skylark	<i>Alauda gulgula</i>	<i>wattersi, coelivox</i>	RC	RO	RU	-	
C53	Hirundinidae							
391	Gray-throated Martin	<i>Riparia chinensis</i>	<i>chinensis</i>	RC	V	V	V	
392	Bank Swallow	<i>Riparia riparia</i>	<i>ijimae</i>	TO	TU	TO	TU	
393	Barn Swallow	<i>Hirundo rustica</i>	<i>gutturalis, mandschurica, tyleri (?)</i>	SC/WC/TC	SC	SC	TC	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
394	Pacific Swallow	<i>Hirundo tahitica</i>	<i>namiyei, javanica</i>	RC; TO(Lanyu)	TU	TU	V	
395	Red-rumped Swallow	<i>Cecropis daurica</i>	<i>japonica</i>	TO	SO/TO	WO/TO	TU	
396	Striated Swallow	<i>Cecropis striolata</i>	<i>striolata</i>	RC	-	V	-	
397	Common House-Martin	<i>Delichon urbicum</i>	<i>lagopodum</i>	V	V	V	V	
398	Asian House-Martin	<i>Delichon dasypus</i>	<i>nigrimentale, dasypus</i>	RU	TO	V	TO	
C54	Stenostiridae							
399	Gray-headed Canary-Flycatcher	<i>Culicicapa ceylonensis</i>	<i>calochrysea</i>	V	V	-	-	
C55	Paridae							
400	Coal Tit	<i>Periparus ater</i>	<i>ptilosus</i>	RC	-	-	-	Endemic SSP. (<i>P. a. ptilosus</i>)
401	Yellow-bellied Tit	<i>Periparus venustulus</i>		-	-	V	-	
402	Varied Tit	<i>Sittiparus varius</i>	<i>varius</i>	V	V	-	-	
403	Chestnut-bellied Tit	<i>Sittiparus castaneiventris</i>		RU	-	-	-	Endemic Species
404	Japanese Tit	<i>Parus minor</i>	<i>commixtus</i>	V	RO	V	-	
405	Green-backed Tit	<i>Parus monticolus</i>	<i>insperatus</i>	RC	-	-	-	Endemic SSP. (<i>P. m. insperatus</i>)
406	Yellow Tit	<i>Machlolophus holsti</i>		RO	-	-	-	Endemic Species
C56	Remizidae							
407	Chinese Penduline-Tit	<i>Remiz consobrinus</i>		V	TO	WO	-	
C57	Aegithalidae							
408	Black-throated Tit	<i>Aegithalos concinnus</i>	<i>concinus</i>	RC	RU	V	-	
C58	Sittidae							
409	Eurasian Nuthatch	<i>Sitta europaea</i>	<i>sinensis</i>	RC	-	-	-	
C59	Troglodytidae							
410	Eurasian Wren	<i>Troglodytes troglodytes</i>	<i>taivanus</i>	RC	-	-	-	Endemic SSP. (<i>T. t. taivanus</i>)
C60	Cinclidae							
411	Brown Dipper	<i>Cinclus pallasii</i>	<i>pallasii</i>	RU	-	-	-	
C61	Pycnonotidae							
412	Collared Finchbill	<i>Spizixos semitorques</i>	<i>cinereicapillus, semitorques</i>	RC	V	-	-	Endemic SSP. (<i>S. s. cinereicapillus</i>)
413	Styan's Bulbul	<i>Pycnonotus taivanus</i>		RC	-	-	-	Endemic Species
414	Light-vented Bulbul	<i>Pycnonotus sinensis</i>	<i>formosae, sinensis</i>	RC	RC	RC	TU	Endemic SSP. (<i>P. s. formosae</i>)
415	Sooty-headed Bulbul	<i>Pycnonotus aurigaster</i>	<i>chrysorrhoides</i>	-	-	V	-	
416	Black Bulbul	<i>Hypsipetes leucocephalus</i>	<i>nigerrimus, leucocephalus</i>	RC	V	V	V	Endemic SSP. (<i>H. l. nigerrimus</i>)
417	Brown-eared Bulbul	<i>Hypsipetes amaurotis</i>	<i>harterti, amaurotis</i>	TO; RC (Lanyu)	TO	-	TO	Endemic SSP. (<i>I. a. harterti</i>)
418	Chestnut Bulbul	<i>Hemixos castanonotus</i>	<i>canipennis</i>	-	-	WO/TO	-	
C62	Regulidae							
419	Goldcrest	<i>Regulus regulus</i>	<i>japonensis</i>	WO/TO	TO	TO	V	
420	Flamecrest	<i>Regulus goodfellowi</i>		RC	-	-	-	Endemic Species
C63	Pnoepygidae							
421	Taiwan Cupwing	<i>Pnoepyga formosana</i>		RC	-	-	-	Endemic Species

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
C64	Cettiidae							
422	Asian Stubtail	<i>Urosphena squameiceps</i>		WO/TO	TO	WO	TO	
423	Rufous-faced Warbler	<i>Abroscopus albogularis</i>	<i>fulvifacies</i>	RC	V	-	-	
424	Japanese Bush-Warbler	<i>Horornis diphone</i>	<i>canturians, cantans, viridis</i>	WO	TO	TO	-	
425	Manchurian Bush-Warbler	<i>Horornis borealis</i>		WU	WU	WO	WO/TU	
426	Brownish-flanked Bush-Warbler	<i>Horornis fortipes</i>	<i>robustipes, davidianus</i>	RC/TO	RC	RU	-	Endemic SSP. (<i>H. f. robustipes</i>)
427	Yellowish-bellied Bush-Warbler	<i>Horornis acanthizoides</i>	<i>concolor</i>	RC	-	-	-	Endemic SSP. (<i>H. a. concolor</i>)
C65	Phylloscopidae							
428	Willow Warbler	<i>Phylloscopus trochilus</i>	?	V	-	-	-	
429	Common Chiffchaff	<i>Phylloscopus collybita</i>	?	V	V	-	-	
430	Wood Warbler	<i>Phylloscopus sibilatrix</i>		V	-	-	-	
431	Dusky Warbler	<i>Phylloscopus fuscatus</i>	<i>fuscatus</i>	WO/TO	TU	WU	TU	
432	Tickell's Leaf Warbler	<i>Phylloscopus affinis</i>	<i>affinis</i>	-	V	-	-	
433	Buff-throated Warbler	<i>Phylloscopus subaffinis</i>		V	-	-	-	
434	Yellow-streaked Warbler	<i>Phylloscopus armandii</i>	<i>armandii</i>	V	-	-	-	
435	Radde's Warbler	<i>Phylloscopus schwarzi</i>		TO	TO	TO	TU	
436	Pallas's Leaf Warbler	<i>Phylloscopus proregulus</i>		WO/TU	TU	WU	TO	
437	Chinese Leaf Warbler	<i>Phylloscopus yunnanensis</i>		-	V	-	-	
438	Yellow-browed Warbler	<i>Phylloscopus inornatus</i>		WC	WC	WC	WC/TC	
439	Hume's Leaf Warbler	<i>Phylloscopus humei</i>	?	-	V	-	-	
440	Arctic Warbler	<i>Phylloscopus borealis</i>	<i>borealis, kennicotti</i> (?)	WC	WC	WU	WC/TC	
441	Kamchatka Leaf Warbler	<i>Phylloscopus examinandus</i>		?	?	?	?	
442	Japanese Leaf Warbler	<i>Phylloscopus xanthodryas</i>		?	?	?	?	
443	Greenish Warbler	<i>Phylloscopus trochiloides</i>	?	V	-	V	-	
444	Two-barred Warbler	<i>Phylloscopus plumbeitarsus</i>		V	V	V	TO	
445	Pale-legged Leaf Warbler	<i>Phylloscopus tenellipes</i>		TO	TO	TO	TO	
446	Sakhalin Leaf Warbler	<i>Phylloscopus borealoides</i>		TO	TO	TO	V	
447	Eastern Crowned Leaf Warbler	<i>Phylloscopus coronatus</i>		TO	TO	TO	TO	
448	Ijima's Leaf Warbler	<i>Phylloscopus ijimae</i>		TO	-	-	-	
449	Claudia's Leaf Warbler	<i>Phylloscopus claudiae</i>		V	V	-	-	
450	Hartert's Leaf Warbler	<i>Phylloscopus goodsoni</i>	<i>fokiensis</i>	V	V	V	-	
451	Sulphur-breasted Warbler	<i>Phylloscopus ricketti</i>		V	V	-	-	
452	Plain-tailed Warbler	<i>Seicercus soror</i>		-	V	-	-	
453	Bianchi's Warbler	<i>Seicercus valentini</i>	?	V	-	-	-	
454	White-spectacled Warbler	<i>Seicercus affinis</i>	<i>intermedius</i>	-	-	V	-	
455	Chestnut-crowned Warbler	<i>Seicercus castaniceps</i>	<i>sinensis</i> (?)	V	-	-	-	
C66	Acrocephalidae							
456	Thick-billed Warbler	<i>Iduna aedon</i>	<i>rufescens</i>	V	V	-	-	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
457	Booted Warbler	<i>Iduna caligata</i>		V	-	-	V	
458	Black-browed Reed-Warbler	<i>Acrocephalus bistrigiceps</i>		WO/TO	TO	TO	V	
459	Streaked Reed-Warbler	<i>Acrocephalus sorghophilus</i>		V	TO	-	-	
460	Paddyfield Warbler	<i>Acrocephalus agricola</i>		V	-	-	-	
461	Manchurian Reed-Warbler	<i>Acrocephalus tangorum</i>		V	-	-	-	
462	Blyth's Reed-Warbler	<i>Acrocephalus dumetorum</i>		V	-	-	-	
463	Oriental Reed-Warbler	<i>Acrocephalus orientalis</i>		WC	WC	WU	TU	
C67 Locustellidae								
464	Gray's Grasshopper-Warbler	<i>Locustella fasciolata</i>		TO	-	-	TO	
465	Sakhalin Grasshopper-Warbler	<i>Locustella amnicola</i>		TO	-	-	-	
466	Pallas's Grasshopper-Warbler	<i>Locustella certhiola</i>	<i>certhiola</i>	TO	TO	-	V	
467	Middendorff's Grasshopper-Warbler	<i>Locustella ochotensis</i>	<i>ochotensis</i> (?), <i>subcerthiola</i> (?)	WO/TU	TO	TO	TO	
468	Pleske's Grasshopper-Warbler	<i>Locustella pleskei</i>		TO	-	-	-	
469	Lanceolated Warbler	<i>Locustella lanceolata</i>		TU	TO	TO	TO	
470	Taiwan Bush-Warbler	<i>Locustella alishanensis</i>		RC	-	-	-	Endemic Species
C68 Cisticolidae								
471	Zitting Cisticola	<i>Cisticola juncidis</i>	<i>tinnabulans</i>	RC/TO	TU	TU	TO	
472	Golden-headed Cisticola	<i>Cisticola exilis</i>	<i>volitans</i>	RU	-	V	TO	Endemic SSP. (<i>C. e. volitans</i>)
473	Striated Prinia	<i>Prinia crinigera</i>	<i>striata</i>	RC	-	-	-	Endemic SSP. (<i>P. c. striata</i>)
474	Yellow-bellied Prinia	<i>Prinia flaviventris</i>	<i>sonitans</i>	RC	RO	RC	-	
475	Plain Prinia	<i>Prinia inornata</i>	<i>flavivirostris, extensicauda</i>	RC	RO	RC	-	Endemic SSP. (<i>P. i. flavivirostris</i>)
C69 Sylviidae								
476	Asian Desert Warbler	<i>Sylvia nana</i>		V	-	-	-	
477	Lesser Whitethroat	<i>Sylvia curruca</i>	?	V	-	V	-	
C70 Paradoxornithidae								
478	Taiwan Fulvetta	<i>Fulvetta formosana</i>		RC	-	-	-	Endemic Species
479	Vinous-throated Parrotbill	<i>Sinosuthora webbiana</i>	<i>bulomacha</i>	RC	-	-	-	Endemic SSP. (<i>S. w. bulomacha</i>)
480	Golden Parrotbill	<i>Suthora verreauxi</i>	<i>morrisoniana</i>	RO	-	-	-	Endemic SSP. (<i>S. v. morrisoniana</i>)
C71 Zosteropidae								
481	Indochinese Yuhina	<i>Yuhina torqueola</i>		-	V	V	-	
482	Taiwan Yuhina	<i>Yuhina brunneiceps</i>		RC	-	-	-	Endemic Species
483	Chestnut-flanked White-eye	<i>Zosterops erythropleurus</i>		V	V	-	-	
484	Japanese White-eye	<i>Zosterops japonicus</i>	<i>simplex, japonicus</i> (?)	RC(<i>simplex</i>)/WO (<i>japonicus</i> (?))	RC	RC	WU/TC	
485	Lowland White-eye	<i>Zosterops meyeri</i>	<i>batanis</i>	RC(Lanyu)	-	-	-	
C72 Timaliidae								
486	Rufous-capped Babbler	<i>Cyanoderma ruficeps</i>	<i>praecognitum</i>	RC	-	-	-	Endemic SSP. (<i>C. r. praecognitum</i>)

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
487	Taiwan Scimitar-Babbler	<i>Pomatorhinus musicus</i>		RC	-	-	-	Endemic Species
488	Black-necklaced Scimitar-Babbler	<i>Megapomatorhinus erythrocnemis</i>		RC	-	-	-	Endemic Species
C73	Pellorneidae							
489	Dusky Fulvetta	<i>Schoeniparus brunneus</i>	<i>brunneus</i>	RC	-	-	-	Endemic SSP. (<i>S. b. brunneus</i>)
C74	Leiothrichidae							
490	Morrison's Fulvetta	<i>Alcippe morrisonia</i>		RC	-	-	-	Endemic Species
491	Masked Laughingthrush	<i>Garrulax perspicillatus</i>		-	-	V	-	
492	Hwamei	<i>Garrulax canorus</i>	<i>canorus</i>	IU	V	RO	-	
493	Taiwan Hwamei	<i>Garrulax taewanus</i>		RU	-	-	-	Endemic Species
494	Rufous-crowned Laughingthrush	<i>Ianthocincla ruficeps</i>		RO	-	-	-	Endemic Species
495	Black-throated Laughingthrush	<i>Ianthocincla chinensis</i>	<i>chinensis</i> (?)	IO	-	-	-	
496	Rusty Laughingthrush	<i>Ianthocincla poecilorhyncha</i>		RU	-	-	-	Endemic Species
497	White-whiskered Laughingthrush	<i>Trochalopteron morrisonianum</i>		RC	-	-	-	Endemic Species
498	White-eared Sibia	<i>Heterophasia auricularis</i>		RC	-	-	-	Endemic Species
499	Steere's Liocichla	<i>Liocichla steerii</i>		RC	-	-	-	Endemic Species
500	Taiwan Barwing	<i>Actinodura morrisoniana</i>		RC	-	-	-	Endemic Species
C75	Muscicapidae							
501	Gray-streaked Flycatcher	<i>Muscicapa griseisticta</i>		TU	TC	TO	TC	
502	Dark-sided Flycatcher	<i>Muscicapa sibirica</i>	<i>sibirica</i>	TO	TU	TO	TU	
503	Spotted Flycatcher	<i>Muscicapa striata</i>	<i>mongola</i>	V	-	-	-	
504	Ferruginous Flycatcher	<i>Muscicapa ferruginea</i>		SU	TO	V	TO	
505	Asian Brown Flycatcher	<i>Muscicapa dauurica</i>	<i>dauurica</i>	WO/TU	TC	TU	TC	
506	Brown-breasted Flycatcher	<i>Muscicapa muttui</i>		V	V	-	-	
507	Oriental Magpie-Robin	<i>Copsychus saularis</i>	<i>saularis</i>	IU	RU	RC	-	
508	White-rumped Shama	<i>Copsychus malabaricus</i>	?	IU	-	-	-	
509	Hainan Blue-Flycatcher	<i>Cyornis hainanus</i>		V	V	-	V	
510	Brown-chested Jungle-Flycatcher	<i>Cyornis brunneatus</i>		V	V	-	-	
511	Fujian Niltava	<i>Niltava davidi</i>		V	-	-	-	
512	Rufous-bellied Niltava	<i>Niltava sundara</i>	<i>denotata</i> (?)	V	-	-	-	
513	Vivid Niltava	<i>Niltava vivida</i>	<i>vivida, oatesi</i> (?)	RU	V	-	-	Endemic SSP. (<i>N. v. vivida</i>)
514	Blue-and-white Flycatcher	<i>Cyanoptila cyanomelana</i>	<i>cyanomelana</i>	TO	TO	TO	TO	
515	Zappey's Flycatcher	<i>Cyanoptila cumatilis</i>		?	TO	?	-	
516	Verditer Flycatcher	<i>Eumyias thalassinus</i>	<i>thalassinus</i>	WO	TO	WO	-	
517	Lesser Shortwing	<i>Brachypteryx leucophris</i>	<i>carolinae</i>	-	-	V	-	
518	White-browed Shortwing	<i>Brachypteryx montana</i>	<i>goodfellowi</i>	RC	-	-	-	Endemic SSP. (<i>B. m. goodfellowi</i>)
519	Rufous-tailed Robin	<i>Larvivora sibilans</i>		TO	TO	-	-	
520	Japanese Robin	<i>Larvivora akahige</i>	<i>akahige</i>	WO	V	-	-	
521	Ryukyu Robin	<i>Larvivora komadori</i>	<i>komadori</i>	V	-	-	-	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
522	Siberian Blue Robin	<i>Larvivora cyane</i>	?	TO	TO	-	TO	
523	Bluethroat	<i>Luscinia svecica</i>	<i>svecica</i>	WO	TO	WO	-	
524	Taiwan Whistling-Thrush	<i>Myophonus insularis</i>		RC	-	-	-	Endemic Species
525	Blue Whistling-Thrush	<i>Myophonus caeruleus</i>	<i>caeruleus</i>	V	RC	RO/TO	-	
526	Little Forktail	<i>Enicurus scouleri</i>	<i>fortis</i>	RO	-	-	-	Endemic SSP. (<i>E. s. fortis</i>)
527	Siberian Rubythroat	<i>Calliope calliope</i>		WC/TC	TU	WO	TU	
528	White-tailed Robin	<i>Cinclidium leucurum</i>	<i>montium</i>	RU	-	-	-	Endemic SSP. (<i>C. l. montium</i>)
529	Red-flanked Bluetail	<i>Tarsiger cyanurus</i>		WU	WU	WU	TU	
530	White-browed Bush-Robin	<i>Tarsiger indicus</i>	<i>formosanus</i>	RU	-	-	-	Endemic SSP. (<i>T. i. formosanus</i>)
531	Collared Bush-Robin	<i>Tarsiger johnstoniae</i>		RC	-	-	-	Endemic Species
532	Korean Flycatcher	<i>Ficedula zanthopygia</i>		TO	TO	TO	TO	
533	Green-backed Flycatcher	<i>Ficedula elisae</i>		?	?	?	-	
534	Narcissus Flycatcher	<i>Ficedula narcissina</i>	<i>narcissina, owstoni</i>	TO	TO	TO	TO	
535	Mugimaki Flycatcher	<i>Ficedula mugimaki</i>		WO/TO	TO	TO	TO	
536	Slaty-backed Flycatcher	<i>Ficedula sordida</i>		V	-	-	-	
537	Snowy-browed Flycatcher	<i>Ficedula hyperythra</i>	<i>innexa</i>	RC	-	-	-	Endemic SSP. (<i>F. h. innexa</i>)
538	Rufous-gorgeted Flycatcher	<i>Ficedula strophciata</i>	<i>strophciata</i>	V	-	-	-	
539	Taiga Flycatcher	<i>Ficedula albicilla</i>		WO	TO	TO	TO	
540	Red-breasted Flycatcher	<i>Ficedula parva</i>		WO	TO	TO	-	
541	Blue-fronted Redstart	<i>Phoenicurus frontalis</i>		V	-	-	-	
542	Plumbeous Redstart	<i>Phoenicurus fuliginosus</i>	<i>affinis, fuliginosus</i>	RC	TO	TO	-	Endemic SSP. (<i>R. f. affinis</i>)
543	White-capped Redstart	<i>Phoenicurus leucocephalus</i>		-	V	-	-	
544	Black Redstart	<i>Phoenicurus ochruros</i>	<i>rufiventris</i>	V	V	-	V	
545	Daurian Redstart	<i>Phoenicurus auroreus</i>	<i>auroreus</i>	WU	WU	WU	WU/TC	
546	White-throated Rock-Thrush	<i>Monticola gularis</i>		V	TO	-	V	
547	Blue Rock-Thrush	<i>Monticola solitarius</i>	<i>philippensis, pandoo</i>	RO/WC	WC	WU	WU/TC	
548	Siberian Stonechat	<i>Saxicola maurus</i>	<i>stejnegeri</i>	WU/TU	WU/TU	WU	TU	
549	Pied Bushchat	<i>Saxicola caprata</i>	?	-	V	-	-	
550	Gray Bushchat	<i>Saxicola ferreus</i>	<i>haringtoni</i>	TO	TO	TO	V	
551	Northern Wheatear	<i>Oenanthe oenanthe</i>	<i>oenanthe</i>	V	-	-	-	
552	Pied Wheatear	<i>Oenanthe pleschanka</i>		-	V	-	-	
553	Desert Wheatear	<i>Oenanthe deserti</i>	?	V	V	-	V	
554	Isabelline Wheatear	<i>Oenanthe isabellina</i>		V	-	-	-	
C76 Turdidae								
555	Siberian Thrush	<i>Geokichla sibirica</i>	<i>sibirica, davisoni</i>	TO	TO	TO	TO	
556	Orange-headed Thrush	<i>Geokichla citrina</i>	?	V	TO	-	-	
557	White's Thrush	<i>Zoothera aurea</i>	<i>aurea, toratugumi</i>	WC	WU	WU	TU	
558	Scaly Thrush	<i>Zoothera dauma</i>	<i>dauma</i>	RO	-	-	-	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
559	Gray-backed Thrush	<i>Turdus hortulorum</i>		TO	TO	WO	V	
560	Japanese Thrush	<i>Turdus cardis</i>		TO	TO	WO	TO	
561	Chinese Blackbird	<i>Turdus mandarinus</i>	<i>mandarinus</i>	RO/WO	WU	RC	WO/TO	
562	Island Thrush	<i>Turdus poliocephalus</i>	<i>niveiceps</i>	RO	-	-	-	Endemic SSP. (<i>T. p. niveiceps</i>)
563	Eyebrowed Thrush	<i>Turdus obscurus</i>		WU	TU	WU	TU	
564	Pale Thrush	<i>Turdus pallidus</i>		WC	TU	WU	WC/TC	
565	Brown-headed Thrush	<i>Turdus chrysolaus</i>	<i>chrysolaus</i>	WC	TU	WU	WC	
566	Black-throated Thrush	<i>Turdus atrogularis</i>		V	-	-	-	
567	Red-throated Thrush	<i>Turdus ruficollis</i>		V	V	V	V	
568	Dusky Thrush	<i>Turdus eunomus</i>		WU	TU	WU	WU/TO	
569	Naumann's Thrush	<i>Turdus naumanni</i>		WU	TU	WU	WO/TO	
570	Chinese Thrush	<i>Turdus mupinensis</i>		V	V	-	-	
C77 Sturnidae								
571	Asian Glossy Starling	<i>Aplonis panayensis</i>	?	IU	-	-	TO	
572	European Starling	<i>Sturnus vulgaris</i>	<i>poltaratskyi</i>	WO/TO	TO	TO	TO	
573	Rosy Starling	<i>Pastor roseus</i>		V	V	V	TO	
574	Daurian Starling	<i>Agropsar sturninus</i>		TO	TO	-	TU	
575	Chestnut-cheeked Starling	<i>Agropsar philippensis</i>		TO	TO	TO	TC	
576	Black-collared Starling	<i>Gracupica nigricollis</i>		IU	V	RU	-	
577	White-shouldered Starling	<i>Sturnia sinensis</i>		WU	TU	TU	TC	
578	Chestnut-tailed Starling	<i>Sturnia malabarica</i>	<i>nemoricola</i>	IO	-	-	-	
579	Red-billed Starling	<i>Spodiopsar sericeus</i>		WU	TU	WU	WC/TU	
580	White-cheeked Starling	<i>Spodiopsar cineraceus</i>		RO/WU	TU	WU	WO/TO	
581	Common Myna	<i>Acridotheres tristis</i>	<i>tristis</i>	IC	IU	IO	V	
582	Jungle Myna	<i>Acridotheres fuscus</i>	?	IO	IO	-	-	
583	Javan Myna	<i>Acridotheres javanicus</i>		IC	IO	IO	-	
584	Crested Myna	<i>Acridotheres cristatellus</i>	<i>formosanus, cristatellus</i>	RU	RU	RC	V	Endemic SSP. (<i>A. c. formosanus</i>)
C78 Dicaeidae								
585	Plain Flowerpecker	<i>Dicaeum minullum</i>	<i>uchidai</i>	RU	-	-	-	Endemic SSP. (<i>D. m. uchidai</i>)
586	Fire-breasted Flowerpecker	<i>Dicaeum ignipectus</i>	<i>formosum</i>	RC	-	-	-	Endemic SSP. (<i>D. i. formosum</i>)
C79 Nectariniidae								
587	Olive-backed Sunbird	<i>Cinnyris jugularis</i>	?	V	-	-	-	
588	Gould's Sunbird	<i>Aethopyga gouldiae</i>	<i>dabryii</i>	V	-	V	-	
589	Fork-tailed Sunbird	<i>Aethopyga christinae</i>	<i>latouchii</i>	V	TO	WO/TO	-	
C80 Prunellidae								
590	Alpine Accentor	<i>Prunella collaris</i>	<i>fennelli</i>	RC	-	-	-	Endemic SSP. (<i>P. c. fennelli</i>)
591	Siberian Accentor	<i>Prunella montanella</i>	?	V	-	-	-	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
C81	Motacillidae							
592	Forest Wagtail	<i>Dendronanthus indicus</i>		WO	TO	TO	TO	
593	Western Yellow Wagtail	<i>Motacilla flava</i>	<i>thunbergi, lutea</i>	TO	?	?	-	
594	Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	<i>taivana, tschutschensis, macronyx</i>	WC/TC	WU/TC	WU/TC	TC	
595	Citrine Wagtail	<i>Motacilla citreola</i>	<i>citreola</i>	TO	TO	TO	TO	
596	Gray Wagtail	<i>Motacilla cinerea</i>	<i>cinerea</i>	WC	TC	WU/TU	WU/TC	
597	White Wagtail	<i>Motacilla alba</i>	<i>leucopsis, ocularis, lugens, baicalensis, dukhunensis, personata</i>	RC/WC/V	RC/WC	RC/WC/V	WU/TC	
598	Japanese Wagtail	<i>Motacilla grandis</i>		V	-	-	-	
599	Richard's Pipit	<i>Anthus richardi</i>	<i>ussuriensis, sinensis</i>	WU	WU	WC	TO	
600	Blyth's Pipit	<i>Anthus godlewskii</i>		V	V	V	-	
601	Meadow Pipit	<i>Anthus pratensis</i>	<i>pratensis</i>	V	-	-	-	
602	Rosy Pipit	<i>Anthus roseatus</i>		V	-	-	-	
603	Tree Pipit	<i>Anthus trivialis</i>	<i>trivialis</i>	V	V	V	-	
604	Olive-backed Pipit	<i>Anthus hodgsoni</i>	<i>hodgsoni, yunnanensis</i>	WC	WC/TU	WC/TU	TU	
605	Pechora Pipit	<i>Anthus gustavi</i>	<i>gustavi</i>	TU	TU	TO	TU	
606	Red-throated Pipit	<i>Anthus cervinus</i>		WU	WU	WU	TU	
607	Water Pipit	<i>Anthus spinoletta</i>	<i>blakistoni</i>	V	TO	TO	-	
608	American Pipit	<i>Anthus rubescens</i>	<i>japonicus</i>	WO	TO	TO	TO	
C82	Bombycillidae							
609	Bohemian Waxwing	<i>Bombycilla garrulus</i>	<i>centralasiae</i>	V	TO	-	-	
610	Japanese Waxwing	<i>Bombycilla japonica</i>		V	TO	-	-	
C83	Calcariidae							
611	Lapland Longspur	<i>Calcarius lapponicus</i>	<i>coloratus</i>	V	-	-	-	
612	Snow Bunting	<i>Plectrophenax nivalis</i>	<i>vlasowae</i>	V	-	-	-	
C84	Emberizidae							
613	Crested Bunting	<i>Melophus lathamii</i>		V	TO	TO	TO	
614	Pine Bunting	<i>Emberiza leucocephalos</i>	<i>leucocephalos</i>	V	-	-	-	
615	Meadow Bunting	<i>Emberiza cioides</i>	<i>castaneiceps</i>	V	V	-	-	
616	Chestnut-breasted Bunting	<i>Emberiza stewarti</i>		V	-	-	-	
617	Ochre-rumped Bunting	<i>Emberiza yessoensis</i>	?	V	-	V	-	
618	Tristram's Bunting	<i>Emberiza tristrami</i>		TO	TU	TO	TO	
619	Chestnut-eared Bunting	<i>Emberiza fucata</i>	<i>fucata, kuatunensis</i>	WO/TO	TO	TO	-	
620	Yellow-browed Bunting	<i>Emberiza chrysophrys</i>		TO	WU	TO	TU	
621	Little Bunting	<i>Emberiza pusilla</i>		WO/TU	TC	WO/TU	WC/TC	
622	Rustic Bunting	<i>Emberiza rustica</i>	?	TO	TO	TO	TO	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Species Name	Subspecies	Distribution in				Endemism
				Taiwan	Matsu	Kinmen	Dongsha	
623	Yellow-throated Bunting	<i>Emberiza elegans</i>	<i>elegans</i>	WO	TU	TO	TO	
624	Yellow-breasted Bunting	<i>Emberiza aureola</i>	<i>ornata</i>	TO	TC	TO	TO	
625	Chestnut Bunting	<i>Emberiza rutila</i>		TU	TC	TO	TO	
626	Black-headed Bunting	<i>Emberiza melanocephala</i>		TO	TO	V	TO	
627	Red-headed Bunting	<i>Emberiza bruniceps</i>		V	-	V	-	
628	Yellow Bunting	<i>Emberiza sulphurata</i>		TO	TC	TO	TO	
629	Black-faced Bunting	<i>Emberiza spodocephala</i>	<i>spodocephala, personata, sordida</i>	WC	WC	WC	TO	
630	Gray Bunting	<i>Emberiza variabilis</i>		V	V	-	-	
631	Pallas's Bunting	<i>Emberiza pallasi</i>	<i>polaris</i>	WO	TO	TO	-	
632	Reed Bunting	<i>Emberiza schoeniclus</i>	<i>pyrrhulina</i> (?), <i>pallidio</i> (?)	V	-	-	V	
C85	Fringillidae							
633	Brambling	<i>Fringilla montifringilla</i>		WO	TO	TO	TO	
634	Brown Bullfinch	<i>Pyrrhula nipalensis</i>	<i>uchidai</i>	RU	-	-	-	Endemic SSP. (<i>P. n. uchidae</i>)
635	Gray-headed Bullfinch	<i>Pyrrhula erythaca</i>	<i>owstoni</i>	RU	-	-	-	Endemic SSP. (<i>P. e. owstoni</i>)
636	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>	?	V	-	-	-	
637	Common Rosefinch	<i>Carpodacus erythrinus</i>	<i>grebnitskii</i>	WO	V	V	TO	
638	Taiwan Rosefinch	<i>Carpodacus formosanus</i>		RC	-	-	-	Endemic Species
639	Pallas's Rosefinch	<i>Carpodacus roseus</i>	<i>roseus</i>	V	-	-	-	
640	Oriental Greenfinch	<i>Chloris sinica</i>	<i>kawahariba, sinica</i>	WO	RU	RU	TO	
641	Common Redpoll	<i>Acanthis flammea</i>	<i>flammea</i>	V	-	-	-	
642	Eurasian Siskin	<i>Spinus spinus</i>		WO	TU	TU	WO/TU	
643	Hawfinch	<i>Coccothraustes coccothraustes</i>	<i>japonicus</i>	WO	TO	TO	-	
644	Yellow-billed Grosbeak	<i>Eophona migratoria</i>	<i>migratoria</i>	WO	RU	RU	V	
645	Japanese Grosbeak	<i>Eophona personata</i>	<i>personata, magnirostris</i> (?)	WO	TO	TO	V	
C86	Passeridae							
646	House Sparrow	<i>Passer domesticus</i>	<i>domesticus</i>	V	-	-	V	
647	Russet Sparrow	<i>Passer rutilans</i>	<i>rutilans</i>	RO	-	-	-	
648	Eurasian Tree Sparrow	<i>Passer montanus</i>	<i>saturatus</i>	RC	RC	RC	TO	
C87	Estrildidae							
649	Orange-cheeked Waxbill	<i>Estrilda melpoda</i>		IU	-	-	-	
650	Indian Silverbill	<i>Euodice malabarica</i>		IU	-	-	-	
651	White-rumped Munia	<i>Lonchura striata</i>	<i>swinhoei</i>	RC	V	-	-	
652	Nutmeg Mannikin	<i>Lonchura punctulata</i>	<i>topela</i>	RC	RU	RU	V	
653	Chestnut Munia	<i>Lonchura atricapilla</i>	<i>formosana, jagori</i> (?), <i>deignani</i> (?)	RO/IO	-	V	-	

?: Uncertain

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).